




06/2021

Pneumatically Actuated Ixtur Magnets


Lifting capacity
ranges from 6 kg
to 180 kg



MAP-180




MAP-120R




MAP-40




MAP-6




MRP-20NK




MRP-46
MRP-42K




MRP-31F
MRP-31FK




MRP-30F




MRP-170
MRP-170K




MRP-130F



MRP-100NK



MRP-28NK




MAP-120R




MAP-40




MAP-6




MRP-31F
MRP-31FK




MRP-30F




MRP-46
MRP-42K




MRP-20NK



MRP-100NK



MRP-130F





MRP-170
MRP-170K

IXTUR MAP-6

- Lifting capacity: 6kg, $t > 4\text{mm}$
- Size: $\text{Ø}35 \times 35\text{mm}$
- Weight: 0.19kg
- Max. residual Gripping capacity: 0.03kg




IXTUR®



IXTUR MAP-40

- Lifting capacity: 40kg, $t > 8\text{mm}$
- Size: $\varnothing 65 \times 50\text{mm}$
- Weight: 0.95kg
- Max. residual Gripping capacity: 0.2kg


IXTUR®



IXTUR MAP-120R

- Lifting capacity: 120kg for flat loads, $t > 25\text{mm}$
70kg for round loads, $\varnothing > 200\text{mm}$
- Size: $\varnothing 120 \times 82\text{mm}$
- Weight: 5.8kg
- Max. residual Gripping capacity: 6kg

IXTUR®



IXTUR MAP-180

- Lifting capacity: 180kg, $t > 25\text{mm}$
- Size: $\varnothing 120 \times 82\text{mm}$
- Weight: 5.8kg
- Max. residual Gripping capacity: 6kg

IXTUR®

